Cumberland Valley District Health Department

P.O. Box 158 ~ 470 Manchester Square, Suite 200 ~ Manchester, Kentucky 40962 Phone: 606-598-5564 ~ Fax: 606-598-6615

FOR IMMEDIATE RELEASE

Date: **05/08/2020**Contact: Christie Green

606-598-5564

christiel.green@ky.gov

First Confirmed Case of COVID-19 Reported in Clay County

Manchester, KY – May 8, 2020 - CVDHD reports the first confirmed case of COVID-19 in Clay County. The individual, a 45 year old male, is self-isolating and monitoring for symptoms at home. Clay County Health Department nurses are carrying out contact investigation to identify anyone who may be at risk of exposure.

If an individual who tests positive has few close contacts, health department nurses will reach out to them individually. In cases where a larger number of people may have been exposed, the health department can release information to the public to help inform them of the risk. Right now, it is important to continue to be careful with social distancing, masking when appropriate, and using good handwashing.

There are no new cases of COVID-19 to report today in Jackson County or Rockcastle County.

Clay County	Rockcastle County
Total cases: 1	Total Cases 14
Active cases: 1	Total Recovered 13
	Current active cases 1

Jackson County

Total cases: 59
Total deaths: 12

Total currently hospitalized: 1

Total recovered: 28 Current active cases: 19

Jackson Manor: 53 total cases

Jackson Manor residents: 40 total cases, 19 active cases

2 currently hospitalized, 12 deaths, 9 recovered

Jackson Manor staff: 13 total cases among staff who are residents of Jackson County, 13 recovered

Not associated with Jackson Manor: 6 total cases, 6 recovered

Case totals by county are updated on the Cumberland Valley District Health Department website: www.cvdhealthdept.com For local information, call Clay County Health Department at 598-2425, Jackson County Health Department at 287-8421 or Rockcastle County Health Department at 256-2242.

CLAY, JACKSON & ROCKCASTLE COUNTIES

Working for Your Health and Safety